

Job Record

The Job Record is used to document the thermostat settings for future reference and troubleshooting.

Job Site Location _____

Control Location _____

Invita® WiFi Thermostat 564

Setup - Sensors Menu

| Item | Setting |
|----------------------|---------|
| SENSOR 1 | |
| SENSOR 2 | |
| SENSOR 3 | |
| INTERNAL ROOM SENSOR | |

| Item | Setting |
|--------------------------|---------|
| INTERNAL HUMIDITY SENSOR | |
| ROOM OFFSET | |
| FLOOR OFFSET | |
| HUMIDITY OFFSET | |

Setup - Relays Menu

| Item | Setting |
|-----------------------|---------|
| HEATING TYPE | |
| EQUIPMENT | |
| RADIANT FLOOR HEATING | |
| HEAT 2 DIFFERENTIAL | |
| HEAT 2 TIME DELAY | |
| HEAT 3 DIFFERENTIAL | |
| HEAT 3 TIME DELAY | |
| HEAT 4 DIFFERENTIAL | |
| HEAT 4 TIME DELAY | |
| COOL 2 DIFFERENTIAL | |
| COOL 2 TIME DELAY | |
| Y MIN RUN TIME | |

| Item | Setting |
|---------------------------|---------|
| Y MIN OFF TIME | |
| DUAL FUEL | |
| ACCESSORY RELAY 1 | |
| ACCESSORY RELAY 2 | |
| HEAT PUMP REVERSING VALVE | |
| FAN RELAY | |
| FAN WITH HRV/ERV | |
| HUMIDIFIER TYPE | |
| WINDOW PROTECTION | |
| WINDOW QUALITY | |
| DEHUMIDIFIER TYPE | |
| HEAT-COOL TIME INTERLOCK | |

Setup - Temp Menu

| Item | Setting |
|---------------------|---------|
| HEAT TO AWAY | |
| HEAT TO MIN LIMIT | |
| HEAT TO MAX LIMIT | |
| COOL TO AWAY | |
| COOL TO MIN LIMIT | |
| COOL TO MAX LIMIT | |
| FLOOR MINIMUM WAKE | |
| FLOOR MINIMUM LEAVE | |

| Item | Setting |
|-------------------------|---------|
| FLOOR MINIMUM RETURN | |
| FLOOR MINIMUM SLEEP | |
| FLOOR MINIMUM AWAY | |
| FLOOR MAXIMUM | |
| WARM WEATHER SHUT DOWN | |
| COLD WEATHER SHUT DOWN | |
| HEAT PUMP BALANCE POINT | |

Setup - Alerts Menu

| Item | Setting |
|-----------------------|---------|
| ROOM HOT WARNING | |
| ROOM COLD WARNING | |
| LOW HUMIDITY WARNING | |
| HIGH HUMIDITY WARNING | |

| Item | Setting |
|---------------------------|---------|
| AUXILIARY HEAT RUN TIME | |
| AIR FILTER CHANGE WARNING | |
| UV LAMP CHANGE WARNING | |

Setup - Humidity Menu

| Item | Setting |
|---------------|---------|
| HUMIDIFY TO | |
| DEHUMIDIFY TO | |

Setup - HRV/ERV Ventilation Menu

| Item | Setting |
|--------------------|---------|
| VENTILATION WAKE | |
| VENTILATION LEAVE | |
| VENTILATION RETURN | |
| VENTILATION SLEEP | |

WiFi Menu

| Item | Setting |
|-----------------|---------|
| NETWORK SSID | |
| WIFI PASSWORD | |
| ZIP/POSTAL CODE | |
| TIME SOURCE | |

| Item | Setting |
|--------------|---------|
| IP ADDRESS* | |
| SUBNET MASK* | |
| GATEWAY* | |
| MAC ADDRESS* | |

* Optional information available in WIFI:ON info screen

Schedule Menu

| Day | Event | Time | Heat To | Cool To |
|-----|--------|------|---------|---------|
| Mon | Wake | | | |
| | Leave | | | |
| | Return | | | |
| | Sleep | | | |
| Tue | Wake | | | |
| | Leave | | | |
| | Return | | | |
| | Sleep | | | |
| Wed | Wake | | | |
| | Leave | | | |
| | Return | | | |
| | Sleep | | | |
| Thu | Wake | | | |
| | Leave | | | |
| | Return | | | |
| | Sleep | | | |

| Day | Event | Time | Heat To | Cool To |
|-----|--------|------|---------|---------|
| Fri | Wake | | | |
| | Leave | | | |
| | Return | | | |
| | Sleep | | | |
| Sat | Wake | | | |
| | Leave | | | |
| | Return | | | |
| | Sleep | | | |
| Sun | Wake | | | |
| | Leave | | | |
| | Return | | | |
| | Sleep | | | |

Setup - Time Menu

| Item | Setting |
|-----------------------|---------|
| TIME FORMAT | |
| TIME SOURCE | |
| TIME ZONE | |
| DAYLIGHT SAVINGS TIME | |

Setup - Display Menu

| Item | Setting |
|---------------------------|---------|
| TEMPERATURE UNITS | |
| BRIGHTNESS - ACTIVE | |
| BRIGHTNESS - INACTIVE | |
| THEME | |
| LANGUAGE | |
| INACTIVE TIME DISPLAY | |
| INACTIVE HUMIDITY DISPLAY | |
| INACTIVE OUTDOOR DISPLAY | |

Setup - Fan Menu

| Item | Setting |
|------------|---------|
| FAN WAKE | |
| FAN LEAVE | |
| FAN RETURN | |
| FAN SLEEP | |



A **WATTS** Brand

All specifications are subject to change without notice

Tel: 1-800-438-3903 • Fax: (250) 984-0815
tekmarControls.com